

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** **CA 10 C**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** Toilet cleaner

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Alfred Kärcher GmbH & Co. KG  
Alfred-Kärcher-Str. 28-40  
D - 71364 Winnenden

Postfach 160  
D - 71349 Winnenden

Tel.: +49-7195-14-0  
Fax : +49-7195-14-2212

[www.karcher.com](http://www.karcher.com)

· **Further information obtainable from:**

Department PCD-D  
Tel.: +49-7195-14-2548  
Fax : +49-7195-14-3164  
[safetydata@karcher.com](mailto:safetydata@karcher.com)

· **1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents  
Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

\* **SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 1)

· **Hazard pictograms**



GHS05

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

*methanesulphonic acid*  
*phosphoric acid*

· **Hazard statements**

*H290 May be corrosive to metals.*  
*H314 Causes severe skin burns and eye damage.*

· **Precautionary statements**

*P280 Wear protective gloves/protective clothing/eye protection/face protection.*  
*P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*  
*P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*P310 Immediately call a POISON CENTER/doctor.*  
*P405 Store locked up.*  
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **2.3 Other hazards**

*The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.*

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*  
· **vPvB:** *Not applicable.*

**SECTION 3: Composition/information on ingredients**

· **3.2 Chemical characterisation: Mixtures**

· **Description:**

*Cleaning agent*  
*Mixture consisting of the following components.*

· **Dangerous components:**

CAS: 5949-29-1 EINECS: 201-069-1 Reg.nr.: 01-2119457026-42-0000	<i>citric acid</i> Eye Irrit. 2, H319	10-20%
CAS: 75-75-2 EINECS: 200-898-6 Index number: 607-145-00-4 Reg.nr.: 01-2119491166-34	<i>methanesulphonic acid</i> Met. Corr. 1, H290; Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335	5-<10%

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 2)

EC number: 931-138-8 Reg.nr.: 02-2119552461-55-XXXX	isotridecanoethoxylate + 8 EO ☞ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302	1-5%
CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-xxxx	phosphoric acid ☞ Met. Corr.1, H290; Skin Corr. 1B, H314	1-5%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol ☠ Eye Irrit. 2, H319	1-5%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants

&lt;5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures**· **4.1 Description of first aid measures**· **General information**

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· **After inhalation**

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· **After skin contact**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.· **After swallowing**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** Redness and irritation of the eyes· **Hazards** No further relevant information available.· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**· **5.1 Extinguishing media**· **Suitable extinguishing agents**CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **For safety reasons unsuitable extinguishing agents** Water with full jet.· **5.2 Special hazards arising from the substance or mixture**

Carbon monoxide (CO)

Sulphur dioxide (SO<sub>2</sub>)· **5.3 Advice for firefighters**· **Protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 3)

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

· **Information about storage in one common storage facility:**

Keep away from food, beverages and feed.

· **Further information about storage conditions:**

Store under lock and key and with access restricted to technical experts or their assistants only.

Keep receptacle tightly sealed.

· **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 4)

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**7664-38-2 phosphoric acid**

IOELV	Short-term value: 2 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
-------	---

**112-34-5 2-(2-butoxyethoxy)ethanol**

IOELV	Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm
-------	--

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

Filter A/P2.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Not necessary if room is well-ventilated.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

· **Material of gloves** Butyl rubber, BR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

\* butyl rubber 0,7 mm, 480 min

· **As protection from splashes gloves made of the following materials are suitable:**

\* nitril rubber 0,4 mm, 30 min

· **Not suitable are gloves made of the following materials:**

Strong material gloves  
Leather gloves

· **Eye protection:**



Tightly sealed goggles.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 5)

- **Body protection:**
  - Apron
  - Boots

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Red
· <b>Odour:</b>	Pleasant
· <b>Odour threshold:</b>	Not determined.

· <b>pH-value at 20 °C:</b>	0.6
· <b>pH-value 1 %:</b>	1.8

· **Change in condition**

· <b>Melting point/freezing point:</b>	undetermined
· <b>Initial boiling point and boiling range:</b>	100 °C

· <b>Flash point:</b>	Not applicable
-----------------------	----------------

· <b>Flammability (solid, gaseous)</b>	Not applicable.
--	-----------------

· <b>Ignition temperature:</b>	not applicable
--------------------------------	----------------

· <b>Decomposition temperature:</b>	Not determined.
-------------------------------------	-----------------

· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
-------------------------------------	------------------------------

· <b>Explosive properties:</b>	Product does not present an explosion hazard.
--------------------------------	---

· **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· <b>Vapour pressure:</b>	Not determined.
---------------------------	-----------------

· <b>Density at 20 °C:</b>	1.085 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.

· **Solubility in / Miscibility with Water:**

Fully miscible

· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
--	-----------------

· **Viscosity:**

· <b>dynamic at 20 °C:</b>	96 mPas
· <b>kinematic:</b>	Not determined.

· **Solvent content:**

· <b>Organic solvents:</b>	3.0 %
----------------------------	-------

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 6)

<b>VOC (EC)</b>	3.00 %
<b>Solids content:</b>	28.0 %
<b>· 9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with alkali (lyes)  
Forms hydrogen in aqueous solution with metals  
Reacts with light alloys to form hydrogen
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Not suitable for acid sensible materials.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known
- **Additional information:** .

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

<b>5949-29-1 citric acid</b>		
Inhalative	LC50	5,400 mg/kg (mouse) (OECD 401)
<b>75-75-2 methanesulphonic acid</b>		
Oral	LD50	649 mg/kg (Rat)
<b>isotridecanoethoxylate + 8 EO</b>		
Oral	ATE	500 mg/kg (Rat)
<b>7664-38-2 phosphoric acid</b>		
Oral	LD50	2,600 mg/kg (Rat)
Dermal	LD50	2,740 mg/kg (can)
<b>112-34-5 2-(2-butoxyethoxy)ethanol</b>		
Dermal	LD50	2,700 mg/kg (can)
Inhalative	LC50	3,384 mg/kg (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 7)

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**5949-29-1 citric acid**

LC50/48 h	440 mg/l ( <i>Leuciscus idus</i> ) (OECD 203)
LC50/24 h	1,535 mg/l ( <i>Daphnia magna</i> )
LC50/168 h	425 mg/l ( <i>Scenedesmus quadricauda</i> )
LC50/16 h	>10,000 mg/l ( <i>Pseudomonas putida</i> )

**isotridecanoethoxylate + 8 EO**

LC50/96 h	1-10 mg/l ( <i>Leuciscus idus</i> )
EC50/48 h	1-10 mg/l (Aquatic invertebrates)
EC50/72 h	1-10 mg/l (Aquatic plants)

**7664-38-2 phosphoric acid**

LC50/96 h	138 mg/l ( <i>Gambusia affinis</i> )
EC50	270 mg/l (bacteria)

**112-34-5 2-(2-butoxyethoxy)ethanol**

LC50/96 h	1,300 mg/l ( <i>Lepomis macrochirus</i> )
EC10/16 h	1,170 mg/l ( <i>Pseudomonas putida</i> )
EC50/24 h	2,850 mg/l ( <i>Daphnia magna</i> ) (DIN 38412)
NOEC	>100 mg/l ( <i>Desmodesmus subspicatus</i> )

· **12.2 Persistence and degradability**

**isotridecanoethoxylate + 8 EO**

Bismuth-act. sup.	≥90 % (mod. OECD 301 E)
-------------------	-------------------------

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **COD-value:** 287.000 mg/l

· **General notes:**

The product does not contain organic complexing agents.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 8)

*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

*Must not reach sewage water or drainage ditch undiluted or unneutralised.*

*Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.*

**· 12.5 Results of PBT and vPvB assessment**

**· PBT:** Not applicable.

**· vPvB:** Not applicable.

**· 12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

**· 13.1 Waste treatment methods**

**· Recommendation**

*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*

*Must be specially treated adhering to official regulations.*

**· European waste catalogue**

07 06 01*	aqueous washing liquids and mother liquors
-----------	--

**· Uncleaned packaging:**

**· Recommendation:** Non contaminated packagings may be recycled.

**· Recommended cleansing agents:** Water, if necessary together with cleaning agents.

**SECTION 14: Transport information**

**· 14.1 UN-Number**

**· ADR, IMDG, IATA**

UN3264

**· 14.2 UN proper shipping name**

**· ADR**

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION, methanesulphonic acid)

**· IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION, methanesulphonic acid)

**· 14.3 Transport hazard class(es)**

**· ADR**



**· Class**

8 (C1) Corrosive substances.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31


Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 9)

<b>· Label</b>	8
<b>· IMDG, IATA</b>	
	
<b>· Class</b>	8 Corrosive substances.
<b>· Label</b>	8
<b>· 14.4 Packing group</b>	
<b>· ADR, IMDG, IATA</b>	II
<b>· 14.5 Environmental hazards:</b>	
<b>· Marine pollutant:</b>	No
<b>· 14.6 Special precautions for user</b>	
<b>· Danger code (Kemler):</b>	Warning: Corrosive substances. 80
<b>· EMS Number:</b>	F-A,S-B
<b>· Segregation groups</b>	Acids
<b>· Stowage Category</b>	B
<b>· Stowage Code</b>	SW2 Clear of living quarters.
<b>· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	
	Not applicable.
<b>· Transport/Additional information:</b>	
<b>· ADR</b>	
<b>· Limited quantities (LQ)</b>	1L
<b>· Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>· Transport category</b>	2
<b>· Tunnel restriction code</b>	E
<b>· IMDG</b>	
<b>· Limited quantities (LQ)</b>	1L
<b>· Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>· UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION, METHANESULPHONIC ACID), 8, II

EU

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Page 11/11  
**KÄRCHER**

Printing date 18.05.2018

Version number 3

Revision: 17.08.2017

**Trade name: CA 10 C**

(Contd. of page 10)

### **SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Directive 2012/18/EU**
  - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
  - **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 55
  - **National regulations**
  - **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.
  - **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.*

- **Relevant phrases**
  - H290 May be corrosive to metals.
  - H302 Harmful if swallowed.
  - H312 Harmful in contact with skin.
  - H314 Causes severe skin burns and eye damage.
  - H318 Causes serious eye damage.
  - H319 Causes serious eye irritation.
  - H335 May cause respiratory irritation.
- **Department issuing SDS: PCD-D**
- **Contact:**  
Department PCD-D  
Tel.: +49-7195-14-2548  
Fax : +49-7195-14-3164  
safetydata@karcher.com
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Met. Corr.1: Corrosive to metals – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**
- 0-011-316-0                      CA 10 C/4                      2-009